



FIBERGLASS DOOR COLLECTION

QUICK SHIP

www.trimlite.com

OUR STORY

For over 30 years, Trimlite has been committed to producing high quality interior and exterior door and glass products. Founded in Vancouver, British Columbia, we operate manufacturing facilities in four countries, along with distribution locations across North America. Managing one of the largest door distribution facilities in Western Canada, our team sells beautiful doors to meet your specific requirements.

Our Fiberglass Door Brochure represents the full breadth of our partnership with Plastpro. We chose Plastpro because of their diverse product offering and commitment to producing high-quality fiberglass doors. Their product line has something for every architectural space and style.

At Trimlite, Handcrafted Construction meets Modern Design.

TABLE OF CONTENTS

| | |
|---|--------------|
| Design Ideas | 4-7 |
| Hydroshield Technology | 8 |
| 1-Panel & 2-Panel Shaker | 9 |
| Nova Series Direct Glazed | 10 |
| Solution Series | 11-13 |
| Smooth Skin Series | 14-17 |
| Flush-Glazed with Applied Mullion Bars | 18 |
| Flush-Glazed with Simulated Divided Lites | 19 |
| Woodgrain Series | 20-21 |
| Fir Grain and True White Oak Series | 22-23 |
| Rustic Series | 24 |
| Rustic Series Speakeasy Kits, Clavos, and Straps | 25 |
| Dentil Shelves | 26 |
| Quick Ship Size Chart | 27 |





MODERN FARMHOUSE

A balanced blend of modern and rustic, the Modern Farmhouse style continues to be a rising trend. We paired some of our favorite doors and hinge options that intelligently mix modern and traditional.



DRS1K
1-Panel
Shaker



DRS1D
Nova Direct Glazed



DRS2G
2-Panel
Cottage



CONTEMPORARY

Contemporary homes reflect the architecture and design of today. They represent smart design and curb appeal. We selected several doors that we believe represent the ethos of now and can be loved forever.



DRS00
with 2208 4-Lite
Solution Series



DRS10
with 3-Lite
Applied Mullion



DRF1D
Nova
Fir Grain



CRAFTSMAN

Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic. We have recommended several door and hardware options that give your doors the beautiful detailing a craftsman home requires.



DRA1P
1-Panel Rustic



DRS3C
3-Panel Shaker



DRF50
5-Panel
Shaker



TRADITIONAL

Traditional homes are comforting and classic. Their interiors are calm, orderly and predictable. Everything matches and is consistent. We suggest these doors for completing the look in a traditional home style and décor.



DRG10
with 15-Lite Flush Glazed
Simulated Divided Lite



DRG63
6-Panel Woodgrain



DRS49
with Adelaide
Decorative
3/4-Lite



FIBERGLASS DOORS

Our fiberglass entry doors with exclusive Hydroshield feature fiberglass reinforced door skins, full-length composite stiles, and composite top & bottom rails to prevent water infiltration on all six sides.

FULL LENGTH COMPOSITE TOP AND BOTTOM RAILS

Additional non-porous protection keeps water from seeping into the door and helps prevent the build up of mold or mildew.

FIBERGLASS REINFORCED SKIN

Fiberglass is unmarred by the wear and tear of everyday use and is unaffected by moisture and humidity. Our doors will not rot, splinter or warp like wood, and won't dent or delaminate like steel.

FULL LENGTH COMPOSITE STILES

All Plastpro fiberglass entry doors feature full length composite stiles to prevent water infiltration into the door and ensures our door will never warp, rot, or rust.




FEATURE & BENEFITS

- 1 COMPOSITE STILES AND RAILS
- 2 FULL LENGTH LVL (HINGE AND STRIKE SIDE FOR EXTRA RIGIDITY)
- 3 OPEN DOORS COME ABLE TO ACCEPT INSULATED GLASS AT 5/8" OR 1" THICK FOR ADDED VERSATILITY. TRIPLE GLAZE IG UNITS PROVIDE THE BENEFIT OF ADDED ENERGY EFFICIENCY
- 4 REMOVABLE FLUSH GLAZED BEAD
- 5 100% CFC CORE
- 6 SMOOTH OR WOODGRAIN FIBERGLASS DOORS AND SIDELITES
- 7 OPTIONAL 1-1/2" SDL OR 4-1/2" APPLIED MULLION BARS
- 8 DURABLE ALL-WEATHER COMPOSITE TOP & BOTTOM RAILS & FULL-LENGTH COMPOSITE STILES TO PREVENT WATER INFILTRATION



NEW 1-PANEL & 2-PANEL SHAKER

Our shaker focuses on simplicity and is easily adaptable for any home's exterior. The straightforward design showcases the beauty of a minimal aesthetic. This series is available in both smooth and fir grain fiberglass.





NOVA SERIES

DIRECT GLAZED
6'8" or 8'0" FULL LITE DOOR


AVAILABLE WIDTHS
2'8" • 2'10" • 3'0"

Our Nova Series features direct glazed glass that creates a seamless and elegant design. The large pane glass (LoE 272) allows the most amount of light into your home. Nova comes in a craftsman profile and is currently available in Smooth and Fir Grain.



DRS1DL / 1D80L

DRF1DL / 1D80L



FEATURES & BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL LENGTH LVL (*Hinge & Strike side, for extra rigidity*)
- 3 INSULATED $\frac{3}{4}$ " GLASS (LoE 272)
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 LEAK PROTECTION GLAZING TAPE
- 6 INTEGRALLY MOLDED GLASS STOP
- 7 HIGH INSULATION RIGID FOAM
- 8 ADA COMPLIANT BOTTOM RAIL
- 9 COMPOSITE BOTTOM CAP



3'0" x 6'8" DRS00 with Clear Low-E Glass and Custom Transom

PRODUCT FEATURES:

- Patented low-profile frame system with no screws, plugs, or holes
- Frame offered in white or tan to paint or stain
- 10 frame sizes available (0764, 0806, 0808, 0836, 2203, 2208, 2210, 2215, 2217, 2236)
- Available in clear, textured, and decorative designs
- Designed to fit the DRS00, DRG00, DRS3F, DRF3F, DRS50, DRF50, DRS2K and DRF2K

FRAME DETAIL



- Vertical Grain Douglas Fir Texture
- No Screws or Plugs

SOLUTION SERIES - Glass Options

Choose from 9 different glass designs.



Clear/Low-E 1



Chords 8



Diffused White Laminate 10
(Featuring Laminate Safety Glass)



Mistlite 8



Narrow Reed 8



Rooftop 8



Sable 8



Sandblast 9




Screen Dot 7

Glass can be specified with Low-E to improve energy efficiency. Some exceptions may apply. Contact your dealer for more information.

SOLUTION SERIES - Door Design Options

Select from one of our designs, or create your own.


6'8" and 7'0" Designs



O764



O806



O808



2203



2208 or 2210




2215 or 2217



2215
3-Lite



2215
6-Lite




O836 (x2)




2236

8'0" Designs



O806




O808



2203



2208



2215

Trimlite offers additional designs in 6'8", 7'0", and 8'0" designs. Contact your dealer for more information.



3'0" x 6'8" 5-Panel Smooth DRS50


SMOOTH SKIN SERIES

Plastpro Smooth Skin doors are a long lasting alternative to steel doors that provide all the benefits of fiberglass. Made with our exclusive Hydroshield Technology, our Smooth Skin doors will never rust or delaminate like steel. Made with a pre-pigmented white skin, our doors resist the appearance of scratches.

SMOOTH SKIN SERIES: 6/8



SMOOTH SKIN SERIES: 6/8



6/8 DIRECT GLAZED CRAFTSMAN W/ SDL BARS

Simulated Divided Lites



6/8 DIRECT GLAZED CRAFTSMAN

CLEAR IG



DRS3C

SPRING

Patina



SLS3C



DRS3CSPRP



SLS3CSPRP

3 LITE BEVEL

Patina



DRS3CB03P



SLS3CB01P

6 LITE BEVEL

Patina



DRS3CB06P



SLS3CB02P

SMOOTH SKIN SERIES: 7/0 & 8/0

ONELITE FLUSH GLAZED: FULL LITE

7/0
OPEN




DRS10

MINIBLIND




DRS10B

FLUSH



DRS00

8/0
FLUSH




DRS00

TWO PANEL



DRS2B

TWO PANEL
ARCH



DRS2D

3/4 TWO PANEL



DRS29

8/0
DIRECT GLAZED



DRS1D

COTTAGE




DRS2G

THREE PANEL
SHAKER



DRS3F

ONELITE FLUSH GLAZED: FULL LITE



DRS10Z

MINIBLIND



DRS10ZB

CLEAR IG



DRS3C

DIRECT GLAZED CRAFTSMAN



SLS3C

8/0
DIRECT GLAZED CRAFTSMAN W/ SDL BARS

Simulated Divided Lites

3 LITE



DRS33

4 LITE



DRS34

6 LITE



DRS36

1'0" | 1'2"



SLS32

6 LITE BEVEL
Patina



DRS3CB06P

FLUSH-GLAZED APPLIED MULLION BARS

LOW-E GLASS OPTIONS



Clear 1



Chords 8



Diffused White Laminated
(Featuring Laminated
Safety Glass) 10



Mistlite 8



Narrow Reed 8



Rooftop 8




Sable 8



Satin Etch 9



Screen Dot 7



3'0" x 6'8" DRS10 with 4-Lite
Rooftop Glass & Applied Mullion Bars

Give your door an added edge with our new Applied Mullion Bars. Our Applied Mullions complement the flush-glazed DRS10 door. We provide a variety of glass options that provide obscurity or light, with that extra touch to stand out. We factory apply these bars to provide a consistent reveal and appearance every time. We offer 6 standard applied mullion designs – or design your own configuration.



- Factory applied for even reveal
- Aluminum bars will not shrink
- 9 glass options for Flush Glazed Door with Low-E
- 4.5" mullion width

STYLES



2-LITE (AM2L)



3-LITE (AM3L)



4-LITE (AM4L)



5-LITE (AM5L)



2-LITE VERTICAL
(AM2LV)




3-LITE VERTICAL
(AM3LV)

FLUSH-GLAZED w/ SIMULATED DIVIDED LITES




Create your own pattern choice with our SDL bars. Our SDL Bars complement any full lite flush-glazed Plastpro doors. We provide 23 unique options in Smooth White or Tan Woodgrain that can make your entry modern or traditional.



LOW-E GLASS OPTIONS



FIBERGLASS DOOR AND SIDELITE SDL CONFIGURATIONS



WOODGRAIN SERIES

WOODGRAIN SERIES

Our Woodgrain doors have a rich oak grain pattern that resembles the look, feel, and texture of real wood without any of the problems associated with wood. Maintain the original look and feel of your home, but with all of the benefits of fiberglass. Made with our exclusive Hydroshield Technology, our Woodgrain doors will never rot or crack like wood.

3'0" x 6'8" DRG29 3/4 Two Panel

**8/0
FLUSH**



3'0"

DRG00

3/4 TWO PANEL



3'0"

DRG29

WOODGRAIN SERIES 6/8

**6/8
FLUSH**



2'6" | 2'8" | 2'10" | 3'0"

DRG00

HERITAGE



1'0" | 1'2"

SLG00



3'0"

DRG20*
*ACCEPTS 1842 OVAL

3/4 TWO PANEL



2'8" | 2'10" | 3'0"

DRG29

**FOUR PANEL
BLANK TOP**



2'8" | 2'10" | 3'0"

DRG40

TRUE FOUR PANEL



2'8" | 3'0" | 3'6"

DRG41

TRUE 4-PANEL MAHOGANY



3'6"

DRM41

3/4 FOUR PANEL



2'8" | 2'10" | 3'0"

DRG49



1'0" | 1'2"

SLG49

**SIX PANEL WIDE LAYOUT
SHOWN**



3'0"

DRG60
(WIDE LAYOUT)



1'0" | 1'2"

SLG60

SIX PANEL UTILITY



2'8" | 2'10"

DRG63

CRAFTSMAN



2'10" | 3'0"

DRG6C

OPEN FOR WIDE GLASS



3'0"

DRG10
AVAILABLE IN 3'0" X 8'0"



1'0" | 1'2"

SLG10

MINIBLIND



2'6" | 2'8" | 3'0"

DRG10B



1'0" | 1'2"

SLG10B

OPEN



2'8" | 3'0"

DRG12

MINIBLIND



2'8" | 3'0"

DRG12B

FIR GRAIN AND TRUE WHITE OAK SERIES



3'0" x 6'8" DRF36 6-Lite
with Dentil Shelf

FIR GRAIN AND TRUE WHITE OAK SERIES: 6/8 & 8/0

6/8 & 8/0 FIR GRAIN DIRECT GLAZED CRAFTSMAN

CLEAR IG



DRF3C*



SLF3C*

SPRING Patina



DRF3CSPRP



SLF3CSPRP

THREE PANEL SHAKER



DRF3F*
8'0" HEIGHT AVAILABLE IN
3'0" & 3'6"

FIVE PANEL SHAKER



DRF50

6/8 DIRECT GLAZED



DRF1D*
8'0" HEIGHT AVAILABLE
IN 2'8" & 3'0"

6/8 ONE PANEL SHAKER



DRF1K

6/8 TWO PANEL SHAKER



DRF2K

W/ SDL BARS (SIMULATED DIVIDED LITES)



DRF33*



DRF34*



DRF36*




SLF32*

6/8 TRUE WHITE OAK

FLUSH



DRW00



SLW00

FOUR PANEL BLANK TOP



DRW40

TRUE FOUR PANEL




DRW41

SIX PANEL



DRW63



SLW60

Prefinished
Skins

*Available in 8'0" height

RUSTIC SERIES: 6/8 & 8/0

ONE PANEL W/ PLANK



DRA1P

TWO PANEL W/ ARCH PLANK



DRA2A

TWO PANEL



DRA2B

TWO PANEL - ARCH



DRA2D

ONE PANEL W/ PLANK



DRA1P

ONE PANEL W/ ARCH PLANK



DRA1A

TWO PANEL W/ PLANK



DRA2P

TWO PANEL W/ ARCH PLANK



DRA2A

ONE PANEL W/ PLANK



DRA1P

ONE PANEL W/ ARCH PLANK



DRA1A

TWO PANEL W/ PLANK



DRA2P

TWO PANEL W/ ARCH PLANK



DRA2A

CLAVOS



Decorative Clavos provide the perfect accent to some of the most beautiful and highest quality fiberglass doors in the industry. In addition to providing a distinct and unique element to any distressed fiberglass door, our decorative Clavos also enhance our fiberglass entry doors, and provide the perfect “finishing touch” to virtually every Rustic Series Fiberglass Door.

EASY TO APPLY

SCIENTIFICALLY FORMULATED ADHESIVE unique for fiberglass doors

MASTERFULLY HANDCRAFTED of premium metal alloy

TOUGH & DURABLE powder coat finish

SPEAKEASY & HINGE STRAP

Our Hinge Straps are handcrafted from durable aluminum that resists rust and discoloration. The Speakeasy Kit is galvanized coated prior to powder coating for additional weather protection. It features a distinctive rounded-iron grill that enhances the old world styling of our Rustic Series Fiberglass Door Collection and creates a personalized look for your new entryway.

DURABLE POWDER COAT FINISH

COMBATS RUST AND DISCOLORATION

BEAUTIFULLY TEXTURED

MASTERFULLY HAND CRAFTED



*18" Hinge Strap. Sold Separately
Part# **PLASHINGESTRP**



*Speakeasy shown with: Seedy Glass.
Part# **PLASSPEAKWISB**



*Speakeasy also available
with: Solid Rustic
Iron Door


*Speakeasy also comes
with square grill design



DRA1P
PLASCLVSS1/4



DRA1A80
PLASCLVSS1/2



*Square Grill Speakeasy available
with seedy glass or iron grill

DRA2D-36
PLASHINGESTRP
PLASSPEAKWISB

DENTIL SHELVES

DENTIL SHELVES

SMOOTH SKIN 4 BLOCKS



DENTCOMS27L

DENTCOMS24L for Smooth DRS3F Shaker Fiberglass

WOODGRAIN 4 BLOCKS



DENTCOMG27L

FIR GRAIN 4 BLOCKS



DENTCOMF27L

DENTCOMF24L

for Fir Grain DRF3F Shaker Fiberglass

Dentil Shelves are made of lightweight High Density Polyurethane (HDP). It is lightweight which makes it easy to install onto a door. It is weather-resistant and will not warp, rot or crack. Its design complements the Plastpro door grain patterns. Available in Woodgrain, Smooth, or Fir Grain finishes.

THE HIGH DENSITY POLYURETHANE (HDP) PROVIDES MANY BENEFITS SUCH AS:

EASY INSTALLATION using common wood working tools and equipment

WILL NOT ROT or absorb moisture, and resists the growth of fungus and mildew

CLOSED CELLULAR STRUCTURE prevents paint from peeling from the surface

WILL NOT WARP OR CRACK when properly installed, or be affected by UV rays when properly coated



3'0" x 8'0" DRF36 Fir Grain
Door with Dentil Shelf and
2 1'2" x 8'0" SLF32 Sidelites

| | 6'8" HEIGHT | | | | | | | | | | 7'0" HEIGHT | | | | 8'0" HEIGHT | | | | | | |
|-----------|-------------|------|------|------|------|------|-------|------|------|------|-------------|------|-------|------|-------------|------|------|------|-------|------|------|
| | 1'0" | 1'2" | 2'0" | 2'4" | 2'6" | 2'8" | 2'10" | 3'0" | 3'6" | 4'0" | 2'6" | 2'8" | 2'10" | 3'0" | 1'0" | 1'2" | 2'6" | 2'8" | 2'10" | 3'0" | 3'6" |
| DRS00 | | | | | | | | | | | | | | | | | | | | | |
| SLS00 | | | | | | | | | | | | | | | | | | | | | |
| DRS29 | | | | | | | | | | | | | | | | | | | | | |
| DRS2B | | | | | | | | | | | | | | | | | | | | | |
| DRS1K | | | | | | | | | | | | | | | | | | | | | |
| DRS2K | | | | | | | | | | | | | | | | | | | | | |
| DRS2D | | | | | | | | | | | | | | | | | | | | | |
| DRS2G | | | | | | | | | | | | | | | | | | | | | |
| DRS3F | | | | | | | | | | | | | | | | | | | | | |
| DRS40 | | | | | | | | | | | | | | | | | | | | | |
| DRS41 | | | | | | | | | | | | | | | | | | | | | |
| DRS49 | | | | | | | | | | | | | | | | | | | | | |
| DRS50 | | | | | | | | | | | | | | | | | | | | | |
| DRS60 | | | | | | | | | | | | | | | | | | | | | |
| DRS6C | | | | | | | | | | | | | | | | | | | | | |
| DRS63 | | | | | | | | | | | | | | | | | | | | | |
| SLS49 | | | | | | | | | | | | | | | | | | | | | |
| SLS60 | | | | | | | | | | | | | | | | | | | | | |
| DRS10 | | | | | | | | | | | | | | | | | | | | | |
| DRS1D | | | | | | | | | | | | | | | | | | | | | |
| SLS10 | | | | | | | | | | | | | | | | | | | | | |
| DRS10B | | | | | | | | | | | | | | | | | | | | | |
| SLS10B | | | | | | | | | | | | | | | | | | | | | |
| DRS12 | | | | | | | | | | | | | | | | | | | | | |
| DRS12B | | | | | | | | | | | | | | | | | | | | | |
| DRS13L | | | | | | | | | | | | | | | | | | | | | |
| DRS33 | | | | | | | | | | | | | | | | | | | | | |
| DRS34 | | | | | | | | | | | | | | | | | | | | | |
| DRS36 | | | | | | | | | | | | | | | | | | | | | |
| SLS32 | | | | | | | | | | | | | | | | | | | | | |
| DRS3C | | | | | | | | | | | | | | | | | | | | | |
| SLS3C | | | | | | | | | | | | | | | | | | | | | |
| DRS3CSPRP | | | | | | | | | | | | | | | | | | | | | |
| SLS3CSPRP | | | | | | | | | | | | | | | | | | | | | |
| DRS3CB03P | | | | | | | | | | | | | | | | | | | | | |
| SLS3CB01P | | | | | | | | | | | | | | | | | | | | | |
| DRS3CB06P | | | | | | | | | | | | | | | | | | | | | |
| SLS3CB02P | | | | | | | | | | | | | | | | | | | | | |
| DRG00 | | | | | | | | | | | | | | | | | | | | | |
| SLG00 | | | | | | | | | | | | | | | | | | | | | |
| DRG20 | | | | | | | | | | | | | | | | | | | | | |
| DRG29 | | | | | | | | | | | | | | | | | | | | | |
| DRG40 | | | | | | | | | | | | | | | | | | | | | |
| DRG41 | | | | | | | | | | | | | | | | | | | | | |
| DRM41 | | | | | | | | | | | | | | | | | | | | | |
| DRG49 | | | | | | | | | | | | | | | | | | | | | |
| SLG49 | | | | | | | | | | | | | | | | | | | | | |
| DRG60 | | | | | | | | | | | | | | | | | | | | | |
| SLG60 | | | | | | | | | | | | | | | | | | | | | |
| DRG63 | | | | | | | | | | | | | | | | | | | | | |
| DRG6C | | | | | | | | | | | | | | | | | | | | | |
| DRG10 | | | | | | | | | | | | | | | | | | | | | |
| SLG10 | | | | | | | | | | | | | | | | | | | | | |
| DRG10B | | | | | | | | | | | | | | | | | | | | | |
| SLG10B | | | | | | | | | | | | | | | | | | | | | |
| DRG12 | | | | | | | | | | | | | | | | | | | | | |
| DRG12B | | | | | | | | | | | | | | | | | | | | | |
| DRF3C | | | | | | | | | | | | | | | | | | | | | |
| SFL3C | | | | | | | | | | | | | | | | | | | | | |
| DRF3CSPRP | | | | | | | | | | | | | | | | | | | | | |
| SFL3CSPRP | | | | | | | | | | | | | | | | | | | | | |
| DRF3F | | | | | | | | | | | | | | | | | | | | | |
| DRF50 | | | | | | | | | | | | | | | | | | | | | |
| DRF1D | | | | | | | | | | | | | | | | | | | | | |
| DRF1K | | | | | | | | | | | | | | | | | | | | | |
| DRF2K | | | | | | | | | | | | | | | | | | | | | |
| DRF33 | | | | | | | | | | | | | | | | | | | | | |
| DRF34 | | | | | | | | | | | | | | | | | | | | | |
| DRF36 | | | | | | | | | | | | | | | | | | | | | |
| SFL32 | | | | | | | | | | | | | | | | | | | | | |
| DRW00 | | | | | | | | | | | | | | | | | | | | | |
| SLW00 | | | | | | | | | | | | | | | | | | | | | |
| DRW40 | | | | | | | | | | | | | | | | | | | | | |
| DRW41 | | | | | | | | | | | | | | | | | | | | | |
| DRW63 | | | | | | | | | | | | | | | | | | | | | |
| SLW60 | | | | | | | | | | | | | | | | | | | | | |
| DRA1A | | | | | | | | | | | | | | | | | | | | | |
| DRA1P | | | | | | | | | | | | | | | | | | | | | |
| DRA2A | | | | | | | | | | | | | | | | | | | | | |
| DRA2B | | | | | | | | | | | | | | | | | | | | | |
| SLA2B | | | | | | | | | | | | | | | | | | | | | |
| DRA2D | | | | | | | | | | | | | | | | | | | | | |
| SLM60 | | | | | | | | | | | | | | | | | | | | | |

■ = IN STOCK NS = NON-STOCK NA = NOT AVAILABLE



Canada

WEST

SURREY, BC

T 604.533.4111

TF 877.933.4111

F 604.533.2026

EAST

BURLINGTON, ON

T 905.335.1559

TF 888.335.1559

F 905.248.3757

www.trimlite.com

info@trimlite.com

USA

WEST

RENTON, WA

T 425.251.8685


TF 800.929.3371

EAST

ASHTABULA, OH

TF 800.929.3371

DEALER STAMP



TRIMLITE